

Models of television set Samsung.

Model	Picture tube	Chassis	Version	Remote control	Control system	Tuner	Amplifier of intermediate picture frequency	Bright	Color	Synchronizing	Horizontal frequency	Correcting geometry	Vertical frequency	Amplifier of intermediate audio frequency	Audio	Speakers	Video Amplifier	Power supply	Teletext	P/P
CK3339ZR/BWX CK3373Z/BOLIX CK3385TR/BWX CK5035TBR/BWX CK5039TBR/BWX CK5073Z/ANASX CK5085ZB/BOLIX CK5085ZR/BWX CK5373TR/BWX CK5385TBR/BWX CK5385ZB/BOLIX	A34KQV42X A48KRD82X A51KQJ63X	P1B	RM153	TM42	SAA5290ZP-028 (CPU) AT24C04-10PC (NVM) ORC-50VF	TECC298 5VD28A 105 CH	M52309SP PAPI01T K3255K	M52309SP	M52309SP (PAL/NTSC) TDA8395P (SECAM) TDA4665 (Delay)	M52309SP	FSV-20A001 (FBT)KSD5072YD (Transistor)		TA8445K (Output block) VPG101	TDA4445B	M52309SP TDA7056A/ TDA7057AQ (Amplifier of low frequency)	8 R, 5 W	TDA6103Q	SMR40000/ SMR40200 HIS-0169A/ HIS-0169B TDA8133 K7805 A1206-0090 (Transformer)	SAA5290ZP-028	
CK5013Z/SUEDX CK5322Z/KAUKX CK5322Z/ROMTSX	51GGB91X 54HGB99X A51KQJ63X01/ 54HGB99X-ITC	P58SC P58SC(H)	RM109	TM09 RM109 SAA3027P	PCA84C640 P/030 (CPU) PCD85C72 (RAM)	ECC2885 CED	TDA8305 OFW1956	TDA3562A TEA2014	TDA3562A (PAL/NTSC) TDA8395P (SECAM)	TDA8305	FCM-20A015 (FBT) 2SD1651YD(Transistor)		KA2131(Output block)	TDA8305	CD4066BCN TDA1013A(Amplifier of low frequency)	8 R, 3 W	KSC2068x3 (Transistor)	TDA4661 2SC3552YC-L (Transistor) 32899-002-405 (Transformer)		
CK3312Z/VNEX CK3326Z/OTX CK5012Z/LINX	3720B22 A48KRC81X/ 51GGB91	P58SC(N)		TM09 RM109 SAA3027P	PCA84C640 P/030 (CPU) PCD85C72 (RAM)	TECC298 5VA14A	TDA8305 OFW1956	TDA3562A TEA2014	TDA3562A (PAL/NTSC) TDA3590A (SECAM)	TDA8305	FCM-2015AL (FBT) 2SD1651YD(Transistor)		KA2131(Output block)	TDA8305	CD4066BCN TDA1013A(Amplifier of low frequency)	5902BR 8 R, 2 W	KSC2330-0x3 (Transistors)	TDA4601 BU508AF (Transistor) 32899-022-405(Transformer)		
CK5312Z/OTX CK534Z/PALMX	54GGB99X-ITC	P58CH	RM101	TM07 RM101 M50560-001P	M50431-101SP(CPU) M58655P (RAM) LM393 LA7910 SC-05M	ECC2885 CED	TDA8305 TSF5321	TDA3562A TEA2014	TDA3562A (PAL/NTSC) TDA3592A (SECAM)	TDA8305	FCM-20A015 (FBT) 2SD1555 (Transistor)		TDA3653B(Output block)	TDA8305	TC4066BP TDA1013A(Amplifier of low frequency)	16 R, 3 W	KSC2310/ 2SC2229, BF871, BF423x3(Transistors)	TDA4601 BU508AF (Transistor)		
CW5322/KO6HX	A51KQJ63X/ 54HGB99X	P64SA(H)	RM107	TM24 RM107	TMS73C47/ 68107Y(CPU) KM93C46 (NVM)	TECC788 3VL06A	TA8690AN F1036HS	TA8690AN TEA2014A	TA8690AN (PAL/NTSC) TA8750AN (SECAM)	TA8690AN	FCM-20A023 (FBT) 2SD1651YD(Transistor)		TDA8445K(Output block)	TA8690AN TA8710S	Transistors	5902BR 8 R, 2 W	KSC2330-0x3(Transistors)	SC4804L(Transistor) SDH104SPT-104W(Transformer)		
CK5061M CK5361M	A48KRD82X 51GGB95X A51KQJ63X/ 54HGB99X	P64SH1	RM107	TM34 RM107	TMS73C47/ 68225Y(CPU) KM93C46 (NVM)	TECC088 5VL14A	TA8690AN F1036HS	TA8690AN TEA2014A	TA8690AN (PAL/NTSC) TA8750AN (SECAM)	TA8690AN	FCM-20A025 (FBT) 2SD5072YD(Transistor)		TDA8445K(Output block)	TA8690AN TA8710S	Transistors	05F14BRAA 8 R, 2 W	KSC2330-0x3(Transistors)	SC4804L(Transistor) SDH104 SPT-104W(Transformer)		
CK3352M CK3362M CK5314M	A34KQV42X A51KRE83X/ 54GGB98X	P64SM(H)																		
CK3361M/BWX CK35052M/AMRX CW3351S/TH6MX CW5012X/SR6HX CW5051S/TH6MX CW5314S/TH6MX	A34KQV42X A48KRD82X A34KQ42X A48KRD82X/ 51GGB95X A48KRD82X/ 51GGB95X A51KRE83X/ 54GGB98X	P64SM (H,H1)	RM107	TM34 RM107	TMS73C47/ 68225Y(CPU) KM93C46 (NVM)	TECC088 5VL14A	TA8690AN F1036HS	TA8690AN TEA2014A	TA8690AN (PAL/NTSC) TA8750AN (SECAM)	TA8690AN	FCM-14A0 25/ FCM-20A023 FCM-20A025 (FBT) 2SD1650/ 2SD1651 (Transistor)	TA8445K	TA8690AN(Output block)	TA8690AN TA8710S	Transistors	05F14BRAA 8 R, 3 W/ EAS-16D 112KB-G 8 R, 8 W	KSC2330-0x3(Transistors)	SC4804L(Transistor) SDH104 A1206-0064(Transformer)		
CK5314AT CK3351A CK3352A CK5051A CK5052A CK5322A CK5342A CK5361A CK3351AT/SGCX CK3362AT/SGCX CK5061ATR/AWX CK5061ATR/BWX CK5062ATR/BWX CK3362ATR/BWX CK5314AT/AGSX CK5342AR/TBWXX	A51KRE83X/ 54GGB98X A34KQV42X A48KRD82X/ 51GGB95X A51KQJ63X/ 54HGB99X A34KQV42X A48KRD82X A34KQV42X A51KRE83X A51KQJ63X01/ 54HGB99X	P68AT P68SA P68SA(AT) P68SA1	RM109	TM33 RM109 SAA3010	PCA84C640P/ (CPU) ST24C02CB1 (NVM)	TECC298 5VA14B	TDA8362B K2950	TDA8362B TEA2014	TDA8362B (PAL/NTSC) TDA8395P (SECAM) TDA4661 (Delay)	TDA8362B	FCM-20A15 (FBT) KSD5072YD (Transistor)		AN5512/ KA2131 (Output block)	TDA8362B	TDA1013A	16 R, 3 W	KSC1507-0x3(Transistors)	SDH209B 32896-002-81 (Transformer) KSC5030F-R (Transistor) MC7805	MAB8461/ PCF84C81 SAA5246 KM6264BLS	
CK3312X/INTX CK3313X/NORSX CK5012X/YKTX CK5013X/STTX CK5026X/INTX CK5314X/INTX CK5322X/METX CK5022XT/SEGX	A34KQV42X A34KQV42X01 A48KRC81X/ 51GGB91X A51KQJ83X 54GGB98X A51KQJ63X 54HGB99X A48KRC81X/ 51GGB91X	P68SC P68T	RM109	SAA3010	PCA84C640P-51 (CPU) X24C02P (NVM)	TECC298 5VA14B	TDA8362 TSF5321	TDA8362 TEA2014	TDA8362 (PAL/NTSC) TDA8395P (SECAM) TDA4661 (Delay)	TDA8362	FCM-2015AL (FBT) KSD5072YD (Transistor)		AN5512/ KA2131 (Output block)	TDA8362	TDA1013A	05F14BRA 8 R, 3 W	2SC2068/ KTC2068x3 (Transistors)	SDH209B 32899-002-450 (Transformer) MC7805	MAB8461P/ PCF84C81P SAA5246 KM6264BL	

Models of television set Samsung.

CS5062Z	A48KRD82X /51GGB95X A51KRE83X A51KQJ63X /54HGB99X	P68SMH	RM133	TM34 RM109 SAA3010	PCA84C (CPU) XLS24C04P (NVM) TECC- 098 5VA14A	TDA8362B K2950	TDA8362B TEA2014	TDA8362B	FCM-20A015 (FBT) KSD5072YD (Transistor)	AN5512/ KA2131 (Output block)	TDA8362B	TDA1013A	16 R, 3 W	KTC3229x3 (Transistors)	SDH209B 32899-002-402 (Transformer) MC7805 MC7808				
CK3335T1SSH/ Z1BW/ Z1WX CK3382TBR1BW CK3383ZR1BW CK5035TR1BW CK5081T1SSH CK5082TR1BW CK5083Z1TBW CK5083ZR1BW CK5318ZR1BW CW5082ZB1M6HCX	A34KQV42X			TM37 RM135-1 /TM38 SIM135-1 KS51810- 54 /KS51800- 38	TMS73C167 (CPU) 24C02A1P (NVM) TECC- 098 5VA14A	TDA8362B K2950	TDA8362B TEA2014	TDA8362B	FTK-14A004P /FCM- 20A015 (FBT) KSD5072YD (Transistor)	AN5512/ KA2131 (Output block)	TDA8362B TDA9830, TDA3845 (DK/SECAM) /TDA3857 (DK)	TDA1013A/ TDA7056/UP C1406HA, TDA7057Q TC4053BP/H CF4053BE	05F14CRA 16 R, 3 W/ 05J04CR 16 R, 3 W 100BR5E 8 R, 5 W	KTC3229x3 (Transistors)	STR-S6707 A1206-0060 (Transformer) MC7805	SAA5254			
CW5082V1BH6H/ V1BW	A48KRD82X	P69SA2	RM135- 2	TM38 SIM135-1 KS51810- 54 /KS51800- 38	TMS73C127- C69607 (CPU) ST24C02CB1 (NVM) TECC- 098 5VA14A	TDA8362B G3956M	TDA8362B TEA2014	TDA8362B	FCM-20A015 (FBT) KSD5072YD (Transistor)	AN5512/ KA2131 (Output block)	TDA8362B TDA3845	TDA2614 UPC1406HA TC4053BP TA8216AH	16 R, 5 W	KTC3229x3 (Transistors)	STR-S6707 A1206-0081 (Transformer) MC7805				
CK6229Z/AMRX	A59KPR84X03	P72	RM109B	TM26 RM109 SAA3010	PCA84C640 P-051 (CPU) X24C02P (NVM) LA7910 KIA7033P GPIU721Q	TECC- 298 5VA14A	TDA2549 OFWK 2950	TDA3505 TDA4565	TDA4650 TDA4660 TDA4565	TDA2579A	FCR-25A005 (FBT) BU508AF (Transistor)	Transistors	TDA3654 (Output block)	TA8710S KA2105A/ TA7337	AN5836 TC4053BP TA8200AH	08G12BRB 8 R, 10 W	KSC2310-0x3, BF871x3, BF423x3 (Transistors)	TDA4601 32899-002-43 (Transformer) MC7805C MC7812C	MAB846PP SAA5246 KM6264AL 74LS241
CK5330W/SGX	A51KQJ63X /54HGB99X	P88MH	RM113	TM22 RM113 SAA3010T	PCA84C641 P010 SRM113-1(CPU) X24C02P (NVM) LA7910 ORC- 04VRF	TECC- 298 9VA15A	TDA8341 OFWK 3203	TDA3505 TDA4565 TDA2014	TDA4650 TDA4661 TDA4565	TDA2579A	FCC-1012L06 (FBT) 2SD1651/ 2SD1555 (Transistor)		TDA3653B (Output block)	TDA3857	TDA8425 TDA8415 TA8200AH TC4053BP	EAS- 16D112KA- G	KSC2310-0x3, BF871x3, BF423x3 (Transistors)	TDA4601 KSC3552 32899- 002-432 (Transformer)	MAB8461PP /W115 SAA5246 KM6264AL 74LS241
CX558WT/CHEMX	54GGB98X	P88MT(MTTS2)	RM104	TM22 RM104 SAA3004	MAB8461P/ W203 (CPU) PCF8582 AP (RAM) TECC- 2885PD	ECC- 2885PD	TDA8341 OFWK 3203	TDA3505 TDA4565 TDA2014	TDA4555 TDA4565	TDA2579A	FCM-2012L02 (FBT) 2SD1651 (Transistor)		TDA3653B (Output block)	TDA2556	TDA3803A TC4066BP AN5836 TA7270P	16 R, 3 W x3	KSC2310-0x3, BF871x3, BF423x3 (Transistors)	TDA4601 BU508AF 32899- 002-200 (Transformer)	MAB8461PP /W115 SAA5243 SAA5231 KM6264AL - 10
CK33H1VR5X/BWT CK50H1VR5X/BWT	A34KQW42X A48KRD82X	S15A	SZM 173/ SPM 175	TM59 SZM173/ SPM175	Z90203-R3729/ SAA5291 (CPU) 24C040/ KS24C040 (NVM) ORC-50VF	TECC094 9VG28A/ TELE4- 108A/ TECC094 9VG28B/ TELE4- 125A	TDA8842/ TDA8841 PAP101 K2971M/ K7252M	TDA8842/ TDA8841	TDA8842/ TDA8841	TDA8842/ TDA8841	FCV-14A001D FCV- 20A001 (FBT) KSD5386 (Transistor)	TDA8842/ TDA8841	TDA8356 (Output block)	TDA8842/ TDA8841	TDA9859 TDA7056B/ TDA7057AQ	8 R, 3 W	TDA6107Q	K2S0680RF AA26- 20005U/ AA262007Q (Transformer) KA7630	SAA5291
CK5913Z/NORSX CK6226W CK6813Z/STTX CK6833W/SEGX CK7226W CK7230W/BWX CK7230Z	A59JMZ40 X05 A59KPR84X03 A66JMZ40X04 A66JMZ40X04 A68KVL74X03	S60MT	RM113	TM22 RM113 SAA3010T	PCA84C641 P010 (CPU) X24C02P (NVM) LA7910 SR-3CD	ECC2885 CED	TDA2549 OFWK 3963	TC4053 TDA3505 TDA4565	TDA4650 TDA4660 TDA4565	TDA2579A	FCR-25A005 (FBT) BU508AF(Transistor)	Transistors	TDA3654 (Output block)	TDA3856 TA8710 OFWL 9350 OFWK 9253	TDA8415 TC4052 TDA8425 TA8200AH	8 R, 5 W	KSC2310-0, BF871 BF423X3 (Transistors)	TDA4601 32899-022-422 (Transformer)	SAA5246 PCB83C654 P013 KM6264AL
CK3366ZR/BWX CK5066TR/BWX CK5366TR/BWX	A34KQV42X A48KRD82X A51KQJ63X	SCT11B	SZM 137/139/ 141/143/ 145 SPM 151/153/ 161/ 163/ 165	TM51 SZM139/ TM48 SPM153	Z8933212PS C- R2558/ SAA529 OZP-043 (CPU) AT24C04512 (NVM) ORC-50VF	TECC098 85VD28A	PAP101 M52309SP K3255K	M52309SP	M52309SP (PAL/NTSC) TDA8395P (SECAM) TDA4665 (Delay)	M52309SP	FCK-14A033/ FCV- 20A001 (FBT) KSD1771Y/ KSD5072YD (Transistor)		TA8445K (Output block) UPG101 KA7812A	TDA4445B/ TDA3845 M52309SP	M52309SP TDA7056A/ TDA7057AQ	125BR10H 8 R, 2 W	TDA6103Q	SMR40200 HIS-0169B A1206-0090 (Transformer) TDA8133 KA7805A	SAA5290ZP- 043
CK3338ZR1BW CK3373TR1BW CK3373ZR1BW CK5038ZR1BW CK5073ZR1BW CK5338ZR1BW CK5373TR1BW CK5373ZR1BW	A34KQV42X	SCT11D	SZM 137/139/ 141/143/ 145 SPM 151/153/ 161/ 163/ 165	TM51 SZM139	Z8933212PS C- R2558/ SAA5290ZP -043 (CPU) AT24C04512 (NVM) TECC098 85VD28A	TECC098 85VD28A	PAP101 M52777SP A G3956M	M52777SP A	M52777SP A (PAL/NTSC) TDA8395P (SECAM) TDA4665 (Delay)	M52777SP A	FCV-14A001 (FBT) KSD5071YD (Transistor)		TA8356 (Output block)	TDA4445B K9253M TDA8710S	M52777SPA TDA7056A/ TDA7057AQ	16 R, 3 W/ 16 R, 2,5 W	TDA6103Q	SMR40200 HIS-0169B A1206-0090 (Transformer) TDA8133 KA7630 KA7805A	SAA5290ZP- 043
CK5099TR/BWX	A48KRD82X	SCT12A	SZM 157	TM48 SZM157	Z8933212PCS (CPU) AT24C04 (NVM) TELE4- 016 ORC-50VF	TELE4- 016	TDA8374A PAP102 K6263K/ G3956M	TDA8374A TDA4665 (delay)	TDA8374A (PAL/NTSC) TDA8395P (SECAM) TDA4665 (Delay)	TDA8374A	FSV-20B001 (FBT) KSD5072YD (Transistor)	TDA8374A		TDA9814/ TDA9808 K9350M K9461M, G3956M	SAA7283ZP TDA9859 TDA9640 MC4558C TDA7297	8 R, 3 W	TDA6101QX3 SPK101T	STRS6707 A1206-0084 (Transformer) KA7812A TDA8133	SAA5281 P83C564FB P-069/ PCF84C 81AP-145 X24C02
CK503ETR4S/NWT	A48KRD82X	SCT13B	SZM 191/193 SPM197	TM48 SPM153	Z893312PSC R1789/Z893 3212PSC/Z9 021106PCS/ Z9021206PCS /SAA5291(CPU) X24C04 (NVM) ORC-50VF	TECC098 5V028A	TDA8374A PAP102 K6259K	TDA8374A TDA4665 (Delay)	TDA8374A (PAL/NTSC) TDA8395P (SECAM) TDA4665 (Delay)	TDA8374A	FSV-20A001 (FBT) KSD5072YD (Transistor)	TDA8374A	TA8356 (Output block)	TDA8374A TDA9859 M65839SP (Karaoke)	TDA8374A TDA7056B/ TDA7057AQ	8 R, 6 W	TDA6107Q	KA2S0680 AA262006U (Transformer) KA7630	SAA5291

Models of television set Samsung.

CS6272PF/TSEX CS6272PTR/BWX CS7277PT/ANAX CS7277PT/POLX	A68LFG79X01	SCT51A	RM124	TM50	CXP853P40 S-1 (CPU) CAT24C08P (NVM) ORC-30V	TECC088 9PA19C	TDA9815 PAP101 K6263K	AN5342K MC14577BP TDA4566 TDA4780 TDA9170	TDA9160A TDA4665 (Delay)	TDA9160A	TDA8143 FCZ- 29A002(FBT) 2SD1887YD (Transistor)	TA8350Q (Output block)	TDA9815 K9461M K9350M /K9353M	SAA7238ZP MC455BC UPC1853 TDA9840 TA8216H TC4053BP UPC1406HA NJM3403AD M65831P (Karaoke)	8 R, 10 W/ 8 R, 15 W	TDA6101Qx3	STR-S6709 A1206-0048 (Transformer)	SAA5281P/R TEA5114A		
CS721APRF/BWX CS721APTR/BWX	A70QAZ761X 001	SCT52A		TM50 RM136EU KS51810- 78	CXP854P60 S-1 (CPU) CAT24C08P (NVM) TEA5114A KIA7042P KA7808 KA7805A KA78R12 KA7809A	TECC088 9PA19C	TDA9815 PAP101 K6263K	AN5342K MC14577BP TDA4566 TDA4780 TDA9170 KA2192 TC4053BP	TDA9162 TDA4665 (Delay) TDA4566 TDA9170	TDA9162	FCZ-29A006(FBT) 2SD1887YD (Transistor)	MC4558C	LA7845 (Output block)	TDA9815 K9350M K9461M	SAA7238ZP UPC1853 TDA9840 MC4558C KA2192 TA8216H TC4053BP	8 R, 15 W	TDA6101Qx3	STR-S6709 AA26- 200048N(Transformer)	SAA5281P/R TEA5114A	TECC088 9PA19C PAP102 SDA9187- 2X SDA9189X TDA9160A TDA9815
CS761APTRX/VWT CS767AMTRX/BWT	A70QAZ761X 001	SCT55A	SZM162	TM50 RM136EU KS51810- 97	Z89313/ Z90341 (CPU) CAT24C08P (NVM) KIA7042P KA7805A ORC- 30V	TECC297 9PK30A	TDA8375 PAP102 K6263K	TDA8375 TEA5114A TDA9177 TDA9170 CXA1855Q	TDA8375 (PAL/NTSC) TDA8395P (SECAM)TDA4665 (Delay)	TDA8375	FCZ-29A006(FBT) 2SD1887YD (Transistor)	MC4558C	LA7845 (Output block)	TDA9808 K9462M K1956M	TDA9875 CXA1855Q TDA7297 TDA7050 MC4558C	8 R, 15 W	TDA6101Qx3 SPK101	STR-S6709 AA2620006M(Transformer) LTV817B KA7805A KA78R09 KA7808 KA7812	SAA5281P/R TEA5114A	TECC287 9PK28A DA9189X TDA9160X SDA9187- 2X STDA9808 K6263K PAP102
CK564BZR1X/BWT CK565BSR1X/VWT CK566BST1X/BWT CK566BSR1X/BWT CK566BST1X/VWT CK567BSR1X/BWT CK567BSR1X/VWT CK568BST1X/BWT CK569BGT1X/BWT CK569BGT1X/VWT	A53QCA891X	SCT57B	SZM199	TM48 SZM155/ TM48 SZM157/ TM51 SZM139	Z8933212PSC(CPU) CAT24C04P (NVM) ORC-50VF	TELE4- 016/ TELE1- 002	TDA8844/ TDA8843/ TDA8375A/ TDA8375 PAP102T K6259K/ K2971M	TDA8844/ TDA8843/ TDA8375A/ TDA8375	TDA8844/ TDA8843/ TDA8375A/ TDA8375	TDA8844/ TDA8843/ TDA8375	FSV-21B005 (FBT) 2SD1887YD (Transistor)	TDA8350Q TDA8356 (Output block)	TDA8844/ TDA8843/ TDA8375A/ TDA8375 TDA9840, TDA9820 (Stereo)/ TDA9808 TDA9874H	TDA8844/ TDA8843/ TDA8375A/ TDA8375 TDA9840 TDA9820 TDA7297	16 R, 3 W/ 16 R, 6 W	TDA6107Q	KA3S0680 AA26-20007F (Transformer) KA7630 KA78R05 KA7812A PC123Y	SAA5281P/R AT24C04	TDA9160A SDA9288X TEA5114A	

It's made shopping and ordering so easy that

- [Home Theater](#)
- [Televisions](#)

[\[AD\]](#)
[\[AD\]](#)

Samsung

MODEL	CHASSIS	ALBUM	POWER	V-OUT	VIDEO	CONTROL	H-OUT
?????	P-54HA(2VERS)	A30	STR50103A	AN5512,KA2131	SS7698P,KA2154	M491	D1650,D1651
CB-5051X(T)	P68 SC	A2	SDH209B	AN5512(KA2131)	TDA8362	PCA84C640	D1651
CI-5051X(T)	P68 SC	A2	SDH209B	AN5512(KA2131)	TDA8362	PCA84C640	D1651
CK-14H1VR5S/WNT	S15A	A30	KA3S0680RF(KA7630)	TDA8356	TDA8642	SAA5291P6-097,R2559	C5386
CK-14R1VR5X/BWT	S15A	A30	KA3S0680RF(KA7630)	TDA8356	TDA8642	SAA5291P6-097,R2559	C5386
CK-14C8VR5S	S15A	A30	KA3S0680RF(KA7630)	TDA8356	TDA8642	SAA5291P6-097,R2559	C5386
CK-14E1VR5S	S15A	A30	KA3S0680RF(KA7630)	TDA8356	TDA8642	SAA5291P6-097,R2559	C5386
CK-14E3VR5X	S15A	A30	KA3S0680RF(KA7630)	TDA8356	TDA8642	SAA5291P6-097,R2559	C5386
CK-14F1VR5S	S15A	A30	KA3S0680RF(KA7630)	TDA8356	TDA8642	SAA5291P6-097,R2559	C5386
CK-14F1XR5	S15A	A30	KA3S0680RF(KA7630)	TDA8356	TDA8642	SAA5291P6-097,R2559	C5386
CK-1438VR5X/VNT	S15A	A30	KA3S0680RF(KA7630)	TDA8356	TDA8642	SAA5291P6-097,R2559	C5386
CK-1448VR5X/BWT	S15A	A30	KA3S0680RF(KA7630)	TDA8356	TDA8642	SAA5291P6-097,R2559	C5386
CK-20E3VR5X/NWT	S15A	A30	KA3S0680RF(KA7630)	TDA8356	TDA8642	SAA5291P6-097,R2559	C5386
CK-20C8VR5C	S15A	A30	KA3S0680RF(KA7630)	TDA8356	TDA8642	SAA5291P6-097,R2559	C5386
CK-20E1VR5C	S15A	A30	KA3S0680RF(KA7630)	TDA8356	TDA8642	SAA5291P6-097,R2559	C5386
CK-20F1R5C	S15A	A30	KA3S0680RF(KA7630)	TDA8356	TDA8642	SAA5291P6-097,R2559	C5386
CK-2039VR5S	S15A	A30	KA3S0680RF(KA7630)	TDA8356	TDA8642	SAA5291P6-097,R2559	C5386
CK-2073XR5X/VWT	S15A	A30	KA3S0680RF(KA7630)	TDA8356	TDA8642	SAA5291P6-097,R2559	C5386
CK-2085VR5X/BWT	S15A	A30	KA3S0680RF(KA7630)	TDA8356	TDA8642	SAA5291P6-097,R2559	C5386
CK-2085VR5S	S15A	A30	KA3S0680RF(KA7630)	TDA8356	TDA8642	SAA5291P6-097,R2559	C5386
CK-2166VR5S/AWT	S15A	A30	KA3S0680RF(KA7630)	TDA8356	TDA8642	SAA5291P6-097,R2559	C5386
CK-2173VR5X/BWT	S15A	A30	KA3S0680RF(KA7630)	TDA8356	TDA8642	SAA5291P6-097,R2559	C5386
CK-2185VR5S/AWT	S15A	A30	KA3S0680RF(KA7630)	TDA8356	TDA8642	SAA5291P6-097,R2559	C5386
CK-331EVR5X/NWT	S15A	A30	KA3S0680RF(KA7630)	TDA8356	TDA8642	SAA5291P6-097,R2559	C5386
CK-331FVR5X/NWT	S15A	A30	KA3S0680RF(KA7630)	TDA8356	TDA8642	SAA5291P6-097,R2559	C5386
CK-331FVR5X/VWT	S15A	A30	KA3S0680RF(KA7630)	TDA8356	TDA8642	SAA5291P6-097,R2559	C5386
CK-331FVR5X/BWT	S15A	A30	KA3S0680RF(KA7630)	TDA8356	TDA8642	SAA5291P6-097,R2559	C5386

CK-333EXR5X/VWT	S15A	A30	KA3S0680RF(KA7630)	TDA8356	TDA8642	SAA5291P6-097,R2559	C5386
CK-338CVR5X/BWT	S15A	A30	KA3S0680RF(KA7630)	TDA8356	TDA8642	SAA5291P6-097,R2559	C5386
CK-3312Z	P-58SC	A2	BU508A(TDA4601)	KA2131	TDA3562	PCA84C640	??
CK-3338ZR/BWX	STC 11B	A12	SMR40200(HIS-0169B)	TA8445K	M52309SP	SPM149-01	D5072YD
CK-3339ZR1/TR1BWX	SCT11D	A19	SMR40200C(HIC0169C)	TDA8356/N4	M52777SPA	SZM-137M3	D5072YD
CK-333EZR4X/BWT	SCT13B	A20	KA250680	TDA8356	TDA8374	SAA5291,SZM-193EA	D5072YD
CK-3351A	P68AT	A7	SDH209B	AN5512/KA2131	TDA8362	SPM109B	C5072YD
CK-3366ZR4X/BWT	SCT13B	A20	KA250680	TDA8356	TDA8374	SAA5291,SZM-193EA	D5072YD
CK-3373T/ANASX	P1B	A12	SMR40200(HIS-0169B)	TA8445K	M52309SP	SPM149-01	D5072YD
CK-3373ZR/BWX	P1B	A12	SMR40200(HIS-0169B)	TA8445K	M52309SP	SPM149-01	D5072YD
CK-3373ZR4X/BWT	SCT13B	A20	KA250680	TDA8356	TDA8374	SAA5291,SZM-193EA	D5072YD
CK-3385ZR1/TR1BWX	SCT11D	A19	SMR40200C(HIC0169C)	TDA8356/N4	M52777SPA	SZM-137M3	D5072YD
CK-346ZSE	R54S	A2	BU508A(TDA4601)	AN5512(KA2131)	SS7698P(KA2154)	M50431-101SP	??
CK-3983ZR1BWX	P-69SA1	A10	STRS6707	AN5512,KA2131	TDA8362	TMS73C125	D1651
CK-5012Z	P-58SC	A2	BU508A(TDA4601)	KA2131	TDA3562	PCA84C640	??
CK-5013Z	P-58SC	A2	BU508A(TDA4601)	KA2131	TDA3562	PCA84C640	??
CK-501ETR1X/BWX	SCT11D	A19	SMR40200C(HIC0169C)	TDA8356/N4	M52777SPA	SZM-137M3	D5072YD
CK-501EVR5S/NWT	S15A	A30	KA3S0680RF(KA7630)	TDA8356	TDA8642	SAA5291P6-097,R2559	C5386
CK-501EVR5X/CAL	S15A	A30	KA3S0680RF(KA7630)	TDA8356	TDA8642	SAA5291P6-097,R2559	C5386
CK-501FVR5S/NWT	S15A	A30	KA3S0680RF(KA7630)	TDA8356	TDA8642	SAA5291P6-097,R2559	C5386
CK-5020T1HPLCX	SCT11D	A19	SMR40200C(HIC0169C)	TDA8356/N4	M52777SPA	SZM-137M3	D5072YD
CK-5020Z1HPLCX	SCT11D	A19	SMR40200C(HIC0169C)	TDA8356/N4	M52777SPA	SZM-137M3	D5072YD
CK-5035TR1BWX	P-69SA1	A10	STRS6707	AN5512,KA2131	TDA8362	TMS73C125	D1651
CK-5035Z/UEISX	P-69SA	A10	AN1201	AN5512,KA2134	TDA8362B	SIM135-1	D1651
CK-5038T/ANASAX	SCT11B	A8	SMR40200(HIS0169B)	TA8445	M52309SP	SPN149-01	D5072YD
CK-5038ZR/BWX	SCT11B	A8	SMR40200(HIS0169B)	TA8445	M52309SP	SPN149-01	D5072YD
CK-5039ZR1/TR1/TBR1BWX	SCT11D	A19	SMR40200C(HIC0169C)	TDA8356/N4	M52777SPA	SZM-137M3	D5072YD
CK-5039VR5S/AWT	S15A	A30	KA3S0680RF(KA7630)	TDA8356	TDA8642	SAA5291P6-097,R2559	C5386
CK-503EZR4X/BWT	SCT13B	A20	KA250680	TDA8356	TDA8374	SAA5291,SZM-193EA	D5072YD
CK-5051X(T)	P68 SC	A2	SDH209B	AN5512(KA2131)	TDA8362	PCA84C640	D1651
CK-5061ATR/AWX/BWT	P68AT	A7	SDH209B	AN5512/KA2131	TDA8362	SPM109B	C5072YD
CK-5062A	P68AT	A7	SDH209B	AN5512/KA2131	TDA8362	SPM109B	C5072YD
CK-5066ZR4X/BWT	SCT13B	A20	KA250680	TDA8356	TDA8374	SAA5291,SZM-193EA	D5072YD
CK-5073T/BOLIX/ANASX	P1B	A12	SMR40200(HIS-0169B)	TA8445K	M52309SP	SPM149-01	D5072YD
CK-5073Z/BOLIX/	P1B	A12	SMR40200(HIS-0169B)	TA8445K	M52309SP	SPM149-01	D5072YD
CK-5073ZR/BWX/	P1B	A12	SMR40200(HIS-0169B)	TA8445K	M52309SP	SPM149-01	D5072YD
CK-5079ZR1UKCX	SCT11D	A19	SMR40200C(HIC0169C)	TDA8356/N4	M52777SPA	SZM-137M3	D5072YD
CK-508CVR5S/NWT	S15A	A30	KA3S0680RF(KA7630)	TDA8356	TDA8642	SAA5291P6-097,R2559	C5386
CK-5083ZR1BWX	P69SA1	A10	STRS6707	AN5512,KA2131	TDA8362	TMS73C125	D1651
CK-5085TBR/BWX	P1B	A12	SMR40200(HIS-0169B)	TA8445K	M52309SP	SPM149-01	D5072YD
CK-5085ZB/BOLIX	P1B	A12	SMR40200(HIS-0169B)	TA8445K	M52309SP	SPM149-01	D5072YD
CK-5085ZR/BWX	P1B	A12	SMR40200(HIS-0169B)	TA8445K	M52309SP	SPM149-01	D5072YD

CK-5085ZR1/ZBR1/TBR1BWX	SCT11D	A19	SMR40200C(HIC0169C)	TDA8356/N4	M52777SPA	SZM-137M3	D5072YD
CK-5085VR5S/AWT	S15A	A30	KA3S0680RF(KA7630)	TDA8356	TDA8642	SAA5291P6-097,R2559	C5386
CK-5313Z/OTX	S60MT-111	A2	C3552(TDA4601)	TDA3654	TDA3505	SAA5246P/E.P/H	D1886
CK-5314M	P64(SMN,SH1)(01)	A7	SDH104	TA8445K	???	SIM107	??
CK-5322X/METX	P68 SC	A2	SDH209B	AN5512(KA2131)	TDA8362	PCA84C640	D1651
CK-5322Z/VNEX	P-58SC	A2,folders 9	BU508A(TDA4601)	KA2131	TDA3562	PCA84C640	??
CK-5339ZR/BWX	P1B	A12	SMR40200(HIS-0169B)	TA8445K	M52309SP	SPM149-01	D5072YD
CK-5339ZR1/TBR1/TR1BWX	SCT11D	A19	SMR40200C(HIC0169C)	TDA8356/N4	M52777SPA	SZM-137M3	D5072YD
CK-5339VR5S/AWT	S15A	A30	KA3S0680RF(KA7630)	TDA8356	TDA8642	SAA5291P6-097,R2559	C5386
CK-5342AT	P68AT	A7	SDH209B	AN5512/KA2131	TDA8362	SPM109B	C5072YD
CK-5361A/TTASX	68SA1	A7	SDH209B	AN5512/KA2131	TDA8362	SPM109B	C5072YD
CK-5362	68SA1	A7	SDH209B	AN5512/KA2131	TDA8362	SPM109B	C5072YD
CK-5366ZR4X/BWT	SCT13B	A20	KA250680	TDA8356	TDA8374	SAA5291,SZM-193EA	D5072YD
CK-5370WB/BWX/IWX/WTBR	US60A	A13	STRS6307	KA2131	TDA3566	SPM119	D1651
CK-5373ZR/BWX	P1B	A12	SMR40200(HIS-0169B)	TA8445K	M52309SP	SPM149-01	D5072YD
CK-5379TR1/ZR1UKCX	SCT11D	A19	SMR40200C(HIC0169C)	TDA8356/N4	M52777SPA	SZM-137M3	D5072YD
CK-5385TR1/ZR1/ZBR/TBR1BWX	SCT11D	A19	SMR40200C(HIC0169C)	TDA8356/N4	M52777SPA	SZM-137M3	D5072YD
CK-5913Z	S60MT-1	A2	C3552(TDA4601)	TDA3654	TDA3505	SAA5246P/E.P/H	D1886
CK-6202WB/WTR	SCT12B	A14	STRS6709	TDA8352Q	TDA8375	Z8933212PSC	D1887YD
CK-6226W	S60MT-1	A2	C3552(TDA4601)	TDA3654	TDA3505	SAA5246P/E.P/H	D1886
CK-6229Z/AMRX	P72	A2	C3552(TDA4601)	TDA3654	TDA3505	SPM-109A	BU508AF
CK-6230W	S60MT-1	A2	C3552(TDA4601)	TDA3654	TDA3505	SAA5246P/E.P/H	D1886
CK-6271	Z68	A7	SK1217(AN1202)	TDA8350	TDA4687	TMS73C167	D1886
CK-6271WP	Z70	A26	STRS6309	TDA8350	TDA4685	P83C654FBP-069	D1886
CK-6330Z (CB.CK,CW)	P72-1	A28	C3552(TDA4601)	TDA3654	TDA3505	SMP-1096	BU508AF
CK-6813Z/STTX	S60MT	A2	C3552(TDA4601)	TDA3654	???	???	BU508AF
CK-7202WB/N/WTR	SCT12B	A14	STRS6709	TDA8352Q	TDA8375	Z8933212PSC	D1887YD
CK-7226W	S60MT-1	A2	C3552(TDA4601)	TDA3654	TDA3505	SAA5246P/E.P/H	D1886
CK-7230W	S60MT	A2	C3552(TDA4601)	TDA3654	TDA3505	SAA5246P/E.P/H	D1886
CK-7230Z	S60MT	A2	C3552(TDA4601)	TDA3654	TDA3505	SAA5246P/E.P/H	D1886
CK-7271	Z68	A7	SK1217(AN1202)	TDA8350	TDA4687	TMS73C167	D1886
CK-7271WP	Z70	A26	STRS6309	TDA8350	TDA4685	P83C654FBP-069	D1886
CS-5062Z	P68SM(H)	A9	SDH209B	AN5512,KA2131	TDA8362B	SPM-133,PCA84C640	D1651
CS-5342Z	P68SM(H)	A9	SDH209B	AN5512,KA2131	TDA8362B	SPM-133,PCA84C640	D1651
CS-721APFR/BWA	SCT51A	A13	STRS6709	LA7646?	TDA4760	RM124E0	D1887YD?
CS-721APTR/BWX	SCT51A	A13	STRS6709	LA7646?	TDA4760	RM124E0	D1887YD?
CS-7272PTR/BWZ	SCT51A	A8	STRS6709	TDA8350Q	TDA4780	SAA5281P-R	D1887
CS-7277PF/PT	SCT51A	A10	STRS6709	TDA8350Q	TDA4780	RM124E0	D1887YD
CS-7830ZP	Z66P	A9	STRS6309	TDA3654	TA8659AN	SMM111	D1887
CW-3382Z1PN6MCX	P695A1	A9	STRS6707	AN5512,KA2131	TDA8362	TMS73C127	D165
CW-3383Z1M16MX	P695A1	A9	STRS6707	AN5512,KA2131	TDA8362	TMS73C127	D165
CW-5012X	P-64 (SMH,SH1)	A14	SDH104	TA8445K	TA8750AN	SIM107	D5072,D1651
CW-5082Z1NW6HX	P695A1	A9	STRS6707	AN5512,KA2131	TDA8362	TMS73C127	D165
CW-5082Z1SR6HX	P695A1	A9	STRS6707	AN5512,KA2131	TDA8362	TMS73C127	D165

CW-5082Z1IWX	P695A1	A9	STRS6707	AN5512,KA2131	TDA8362	TMS73C127	D165
CW-5082ZB1T06HX	P695A1	A9	STRS6707	AN5512,KA2131	TDA8362	TMS73C127	D165
CW-5083Z1HALCCX	P695A1	A9	STRS6707	AN5512,KA2131	TDA8362	TMS73C127	D165
CW-5322X/K06HX	P64SA	A2	SDH104	TA8445K	TA8690AN	SIM107	??
CX-558WT/AMF	P-88MT(MTTS2)	A30	BU508AF(TDA4601)	TDA3653	TDA3505	MA86441P	D1551,D1555
CX-5013/SEGUX	P-58SC	A2	BU508A(TDA4601)	KA2131	TDA3562	PCA84C640	??
CX-5051X(T)	P68 SC	A2	SDH209B	AN5512(KA2131)	TDA8362	PCA84C640	D1651
CX-6229Z/AMRX	P72	A2	C3552(TDA4601)	TDA3654	TDA3505	SPM-109A	BU508AF
D-CK50132		folders 8	BU508AF(TDA4601)	KA2131	TDA3590	PCA84C640	D1650,D1651

Óēðàēíñēàÿ Áàířăđřàÿ Ñăòü

Rated by
PING